

Nova Color Artists' Acrylic Paints – Cadmium Colors (See list Section 16)

Section 1**Chemical Product and Company Identification**

Product Name: Nova Color Artists' Acrylic Paints – Cadmium Colors (See list Section 16)
 Product Code: Not applicable Chemical Family: Not applicable
 Chemical Name: Not applicable Formula: Not applicable
 Manufacturer:

Artex Mfg Co. dba Nova Color Artists' Acrylic Paint

5894 Blackwelder Street, Culver City, CA 90232 Telephone 310 204-6900 Fax 310 838-2094

Section 2**Composition, Information on Ingredients**

Ingredient Listing:	CAS No.:	OSHA PEL:	ACGIH TLV:	STEL:	% COMP:
CADMIUM COMPOUNDS	MIXTURE	.005mg/m ³	.01mg/m ³	N/L	<15.00
NON-HAZARDOUS INGRED	MIXTURE	N/L	N/L	N/L	<90.00

Section 3**Hazards Identification**

Emergency Overview: CONTAINS CADMIUM PIGMENT. DO NOT SPRAY APPLY.
 Physical Description: Water-based acrylic paints.
 Major Health Hazards: None known for usual and ordinary uses.
 Physical Hazards: None known for usual and ordinary uses.
 Routes of Entry: Inhalation: No Skin: No Eye: No Ingestion: No
 Potential Health Effects: None known for usual and ordinary uses.
 Inhalation: Short Term Exposure: Not applicable
 Long Term Exposure: Not applicable
 Skin Contact: Short Term Exposure: Not applicable
 Long Term Exposure: Not applicable
 Eye Contact: Short Term Exposure: Not applicable
 Long Term Exposure: Not applicable
 Ingestion: Short Term Exposure: Not applicable
 Long Term Exposure: Not applicable
 Carcinogen Status: NTP: Listed IARC: Listed OSHA: Listed
 Medical Conditions Aggravated by Exposure: None known.

Section 4**First Aid Measures**

Eyes: For eye contact, carefully flush for 15 minutes. If irritation occurs, contact a physician.
 Skin: Wash with soap and water.
 Inhalation: Seek fresh air.
 Ingestion: Drink water or milk to dilute. Do not induce vomiting.

Section 5**Fire Fighting Measures**

Flash Point: None.
 Fire and Explosion Hazards: Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.
 Extinguishing Media: Water, foam, carbon dioxide or dry chemicals.
 Special Fire Fighting Procedures: Not required for this material.

Section 6**Accidental Release Measures**

Spill or Leak Procedures: Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

Section 7**Handling and Storage**

Storage Temperature: Store at 70 deg. F. (Min: 50 deg. F; Max: 100 deg. F)
 Shelf Life: Not known. Special Sensitivity: None likely or known.

Handling and Storage: Use under ventilated conditions. For personal protection, wash thoroughly after handling product. Wash before eating, smoking, or using toilet facilities.
Precautions: DO NOT SPRAY APPLY. Avoid eye and skin contact. Keep container closed when not being used.

Section 8

Exposure Limits: None known.
Eye Protection: Wear splash goggles where spill or splashing may occur.
Skin Protection: Not required.
Respiratory and Ventilation: Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.

Exposure Controls, Personal Protection

Section 9

Physical Form: Viscous liquid
Odor: Acrylic
Melting Point: Not applicable
PH: Not applicable
Specific Gravity: 1.39 - 1.45
% Volatile by Weight: Not applicable
Vapor Density: Equivalent to water

Color: Various colors
Boiling Point: 212 deg. F
Freezing Point: 32 deg. F
Solubility in Water: Miscible
Bulk Density: Not applicable
Vapor Pressure: Equivalent to water

Physical and Chemical Properties

Section 10

Stability: Stable.
Incompatibilities: Avoid strong oxidizing agents.
Conditions to Avoid: Not applicable.

Polymerization: No.
Decomposition Products: None known.

Stability and Reactivity

Section 11

Health Effects: Heated decomposition products may cause eye and respiratory irritation.
Inhalation: Do not spray apply!
Skin Contact: Prolonged liquid contact with skin may cause irritation or redness.
Eye Contact: Prolonged liquid contact with eyes may cause irritation or redness.
Ingestion: No effects known in usual and ordinary uses of product.

Toxicological Information

Section 12

Ecological Information

No ecological issues likely.

Section 13

Waste Disposal Method: Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

Disposal Considerations

Section 14

D.O.T. Shipping Name: Paints or stains 149980 Sub. 2
Technical Shipping Name: Not known
D.O.T. Hazard Class: Non-hazardous
U.N./N.A. Number: None
Product RQ (Lbs.): None
D.O.T. label: None
D.O.T. Placard: None

Freight Class Bulk: 55
Freight Class Package: Not known
Product Label: Not known

Transportation Information

Section 15

OSHA Status: Hazardous product per 29 CFR 1910.1200. Occupational exposure to cadmium compounds regulated under 29 CFR 1910.1027.
TSCA Status: Listed.

Regulatory Information

CERCLA Reportable Quantity: None.
SARA Title III: Not applicable
Section 302 Extremely Hazardous Substances: Not an extremely hazardous substance.
Section 311/312 Hazard Categories: Cadmium Compounds – see section 2.
Section 313 Toxic Chemicals: Cadmium Compounds – see section 2 – Subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.
RCRA Status: Not applicable
State Regulatory Information: (The State of California exempts businesses with fewer than 10 employees from Prop. 65 labeling requirements). **WARNING! DO NOT SPRAY APPLY!** This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

Component Name
& CAS Number: Cadmium Concentration: <15.00 State Code: California
FHSA Status: Conforms to FHSA
16 CFR 1500.14
ASTM D-4236 Status: Conforms to ASTM D-4236

Section 16**Other Information**

Reason for issue: Five year update
Prepared by: Environmental Medicine Incorporated
Approved by: Rudolph J Jaeger, PhD, DABT, REA
Title: President and Principal Scientist
Approval date: 10/28/09
Supersedes date: 12/31/04
MSDS Summary of Changes: No changes as of this date

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Artex Manufacturing Co. The data on this sheet are related only to the specific material designated herein. Artex Manufacturing Co. assumes no legal responsibility for use or reliance upon these data.

Revision Date: 10/28/09**List of colors with product numbers included in this group:**

102	CADMIUM YELLOW MEDIUM
123	CADMIUM YELLOW LIGHT
124	CADMIUM ORANGE
125	CADMIUM RED MEDIUM
132	CADMIUM RED DEEP
145	CADMIUM RED LIGHT
146	CADMIUM ORANGE DEEP