

## Nova Color Artists' Acrylic Paints – Fluorescent Colors (See list Section 16)

**Section 1****Chemical Product and Company Identification**

Product Name: Nova Color Artists' Acrylic Paints – Fluorescent Colors (See list Section 16)  
 Product Code: Not applicable      Chemical Family: Not applicable  
 Chemical Name: Not applicable      Formula: Not applicable  
 Manufacturer:

**Artex Mfg Co. dba Nova Color Artists' Acrylic Paint**

**5894 Blackwelder Street, Culver City, CA 90232 Telephone 310 204-6900 Fax 310 838-2094**

**Section 2****Composition, Information on Ingredients**

Ingredient Listing:	CAS No.:	OSHA PEL:	ACGIH TLV:	STEL:	% COMP:
Proprietary	N/L	N/L	N/L	N/L	100

The ingredients in this product are judged to be non-hazardous and are regarded as trade secrets.

**Section 3****Hazards Identification**

Emergency Overview: Non-hazardous material.  
 Physical Description: Water-based acrylic paints.  
 Major Health Hazards: None known for usual and ordinary uses.  
 Physical Hazards: None known for usual and ordinary uses.  
 Routes of Entry: Inhalation: No    Skin: No    Eye: No    Ingestion: No  
 Potential Health Effects: None known for usual and ordinary uses.  
 Inhalation: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Skin Contact: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Eye Contact: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Ingestion: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Carcinogen Status: NTP: Not listed    IARC: Not listed    OSHA: Not listed  
 Medical Conditions Aggravated by Exposure: None known.

**Section 4****First Aid Measures**

Eyes: For eye contact, carefully flush for 15 minutes. If irritation occurs, contact a physician.  
 Skin: Wash with soap and water.  
 Inhalation: Not likely to occur; seek fresh air.  
 Ingestion: Drink water or milk to dilute. Do not induce vomiting.

**Section 5****Fire Fighting Measures**

Flash Point: None.  
 Fire and Explosion Hazards: Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.  
 Extinguishing Media: Water, foam, carbon dioxide or dry chemicals.  
 Special Fire Fighting Procedures: Not required for this material.

**Section 6****Accidental Release Measures**

Spill or Leak Procedures: Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

**Section 7****Handling and Storage**

Storage Temperature: Store at 70 deg. F. (Min: 50 deg. F; Max: 100 deg. F)  
 Shelf Life: Not known.      Special Sensitivity: None likely or known.

Handling and Storage:	Use under ventilated conditions. For personal protection, wash thoroughly after handling product. Wash hands before eating, smoking or using toilet facilities.		
Precautions:	Avoid eye and skin contact. Keep container closed when not being used.		
<b>Section 8</b>	<b>Exposure Controls, Personal Protection</b>		
Exposure Limits:	None known.		
Eye Protection:	Wear splash goggles where spill or splashing may occur.		
Skin Protection:	Not required.		
Respiratory and Ventilation:	Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.		
<b>Section 9</b>	<b>Physical and Chemical Properties</b>		
Physical Form:	Viscous liquid	Color:	Various colors
Odor:	Acrylic	Boiling Point:	212 deg. F
Melting Point:	Not applicable	Freezing Point:	32 deg. F
PH:	Not applicable	Solubility in Water:	Miscible
Specific Gravity:	1.08 - 1.13	Bulk Density:	Not applicable
% Volatile by Weight:	Not applicable	Vapor Pressure:	Equivalent to water
Vapor Density:	Equivalent to water		
<b>Section 10</b>	<b>Stability and Reactivity</b>		
Stability:	Stable.	Polymerization:	No.
Incompatibilities:	Avoid strong oxidizing agents.	Decomposition Products:	None known.
Conditions to Avoid:	Not applicable.		
<b>Section 11</b>	<b>Toxicological Information</b>		
Health Effects:	Heated decomposition products may cause eye and respiratory irritation.		
Inhalation:	Not likely.		
Skin Contact:	Prolonged liquid contact with skin may cause irritation or redness.		
Eye Contact:	Prolonged liquid contact with eyes may cause irritation or redness.		
Ingestion:	No effects known in usual and ordinary uses of product.		
<b>Section 12</b>	<b>Ecological Information</b>		
	No ecological issues likely.		
<b>Section 13</b>	<b>Disposal Considerations</b>		
Waste Disposal Method:	Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.		
<b>Section 14</b>	<b>Transportation Information</b>		
D.O.T. Shipping Name:	Paints or stains 149980 Sub. 2		
Technical Shipping Name:	Not known		
D.O.T. Hazard Class:	Non-hazardous		
U.N./N.A. Number:	None		
Product RQ (Lbs.):	None	Freight Class Bulk:	55
D.O.T. label:	None	Freight Class Package:	Not known
D.O.T. Placard:	None	Product Label:	Not known
<b>Section 15</b>	<b>Regulatory Information</b>		
OSHA Status:	Not applicable		
TSCA Status:	Not applicable		
CERCLA Reportable Quantity:	Not applicable		
SARA Title III:	Not applicable		

Section 302 Extremely Hazardous Substances: Not applicable

Section 311/312 Hazard Categories: Not applicable

Section 313 Toxic Chemicals: Not applicable

RCRA Status: Not applicable

State Regulatory Information: (The State of California exempts businesses with fewer than 10 employees from Prop. 65 labeling requirements). **WARNING!** This product contains a chemical known to the State of California to cause cancer.

Component Name & CAS Number: Formaldehyde (50-00-0) Concentration: Trace

State Code: Not applicable

FHSA Status: Conforms to FHSA

16 CFR 1500.14

ASTM D-4236 Status: Conforms to ASTM D-4236

**Section 16****Other Information**

Reason for issue:

Five year update

Prepared by:

Environmental Medicine Incorporated

Approved by:

Rudolph J Jaeger, PhD, DABT, REA

Title:

President and Principal Scientist

Approval date:

10/28/09

Supersedes date:

12/31/04

MSDS Summary of Changes: No changes as of this date

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Artex Manufacturing Co. The data on this sheet are related only to the specific material designated herein. Artex Manufacturing Co. assumes no legal responsibility for use or reliance upon these data.

**Revision date: 10/28/09**

**List of colors with product numbers included in this group:**

190 Fluorescent Magenta

191 Fluorescent Pink

192 Fluorescent Purple

193 Fluorescent Red

194 Fluorescent Invisible Blue

195 Fluorescent Orange

197 Fluorescent Yellow

198 Fluorescent Green

199 Fluorescent Blue